# Annual Drinking Water Quality Report (Consumer Confidence Report)

## Piney Creek Corporation MD0170021

Annual Water Quality Report for the period January 1 to December 31, 2016.

This report is intended to provide you with Important information about your drinking water and the efforts made by the water system to provide safe drinking water.

The source of drinking water used by Piney Creek Corp. is ground water, from one well drilled into the Aquia aquifer, which lies about 210 feet beneath the ground. The Aquia is an underground layer of porous sand saturated with water and confined on the top and bottom by impervious layers of clay through which we pump water directly into our distribution system after disinfecting with chlorine. Water in this aquifer is continuously replenished by surface water percolating through porous soils in southern Kent County and northern Queen Anne's County. As the water moves through the porous soils, it is purified while at the same time it dissolves minerals such as iron, calcium, etc., from the soils.

### Source of Drinking Water

The sources of drinking water (both tap water and portied water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water intide:

- Mirrobial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, such as viruses and such as viruses and such as the second plants, and such as the second plants, and such as the second plants are such as the second plants are second plants.

- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Restitides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and restidential uses.
- Organic chemical convenients, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septir systems.
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPAs safe Drinking Water Rottine at (805) 426-4791.

In order to ensure that tap water is safe to drink, ITA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. ITA regulations establish limits for contaminants in bottled water which must provide the "same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population.

Immuno-compromised persons such as persons with cauter undergoing chemotherapy, persons who have undergone organ transplants, people with HTV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their bealth care providers. EFA/CPC guidelines on appropriate means to lessen the risk of infections on appropriate means to lessen the risk of infections on appropriate means to lessen the risk of infections on appropriate means to lessen the risk of infections on appropriate means to lessen the risk of infections on appropriate means to lessen the risk of infections on appropriate means to lessen the risk of infections on appropriate means to lessen the risk of infections on appropriate means to lessen the risk of infections of the risk of

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in draining water is primarily from materials and components associated with service lines and home plumbing. We cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead emposure by flushing your rap for all seconds to I minutes before using water for draining or cooking. If you are concerned about tested. Information on lead in draining water, resting methods, and steps you can take to minimize the motions, and steps you can take to minimize emposure is available from the Safe Drinking Nater Motline or at hopp://www.epa.gov/safewater/lead.

For more information regarding this report, contact: Jim Coffey, 410-643-4146, or at 305 Swan Cove Lane, Chester, MD 21619

Este informe contiene información muy importante sobre el agua que usted bebe. Tradúzcalo ó hable con alguien que lo entienda bien.

#### Lead and Copper

Tefinitions: Action Tevel Goal (ALG): The level of a contaminant in drinking water below which there is no known or experted risk to health. ALGs allow for a margin of safety. Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Lead and Copper Date Sampled FUE Action Level Percentile # Titles Over A Units Violation likely Source of Contamination

Nitrate	Copper
1/15/16	12/31/2014
	1.3
10	1.3
<1.0	0.076
mg/I	ppm
z	z
	Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing systems.

#### Regulated Contaminants

Negataced Concentnants	mts							
Disinfectants and Disinfection By-Products	Collection Dite	Highest Level Detected	Highest Level Range of Levels Perecred Perecred	#C16	ħ	dai s	Violetion	Violation likely Source of Contamination
Chlorine		0	0 6 1 0	15015 H	1500	Plea	н	Water additive used to control microbes.
Haloscetic Acids (HAAS)		st»	2.6 - 3.6	No goal for	Ĉ	لفع	15,	By-product of drinking water disinfection
Not all sample results may have been used for calculating the Highest Level letetted because some results may be pa Where compliance sampling should occur in the future	sy have been use og should occu	ed for calculat r in the future	ing the Highest	Level Detected h	ecause some ro	suits may	25 OF	an evaluation to determine
Haloscetic Acids (HAA5)		slo	3.E - 3.E	resca aco zog reab og	60	पर्वेर	Ħ	By-product of drinking water disinfection.
Not all sample results may have been used for calculating the Highest Level Reserted because some results may be pa where compliance sampling should occur in the future	ly have been use ng should occu	ed for calculat	ing the Highest	evel Decembed b	enause some re	sults may	be part of a	er of an evaluation to determine
Baloscetic Acids (BAAS)*		olo	3.6 - 3.6	No goal for	60	t\$p	Ħ	By-product of drinking water disinfection.
Not all sample results may have been used for calculating the Highest Level Detected because some results may be pa where compliance sampling should occur in the future	ly have been use	ed for calculat	ing the Highest !	level Desected b	ecause some re	sults may	pe hart of at	rt of an evaluation so determine
Total Tribalomethenes		pa Ta	11.6 - 11.6	No goal for	3	pipi	и	By-product of drinking water disinfection
Not all sample results may have been used for calculating the Highest Level Deterted because some results may be part of where compliance sampling should occur in the future	of sponty occur	t in the future	ing the Highest !	level Determed b	STREETS SERVICE	sults may		an evaluation to determine
Total Tribalomethenes (TTEM)		Б	11.a - 11.e	Wo goal for	es Ca	क्वंस	п	By-product of drinking waver disinfection.
Not all sample results may have been used for malculating the Highest Level Detected because some results may be pay where compliance sampling should occur in the future	y have been use	ed for calculati	ing the Highest	evel Deserted b	erause some re	эц са мау	2 2	an evaluation so determine
Inorganic Conteminants	Collengion Fase	Highest level Setected	Highest Level Range of Levels Detected Detected	¥1.	X	Unica	Tiolation	Tikely Bource of Contamination
Berius	11/03/2014	- 10 10 10 10	0.051 - 0.051	13	Б	ppa	Ħ	Discharge of drilling waster: Discharge Evon metal refineries: Erosion of natural deposits.
Redicactive Contaminants	Collection Date	Highest Level Detected	Range of Levels Reserved	HCTG	ţ	Unica	Wiolation	Tikely Source of Contamination
Beta/photon emitters	24/28/2014	0.42	411 40 111 40	٥	gi U	1/13d	н	Decay of natural and man-made deposits.